



**MDS MEDICARE PPS ASSESSMENT FORM**  
**(VERSION JULY 2002)**

Numeric Identifier \_\_\_\_\_

AB5.	<b>RESIDENTIAL HISTORY 5 YEARS PRIOR TO ENTRY</b>	(Check all settings resident lived in during 5 years prior to date of entry.) a. Prior stay at this nursing home b. Stay in other nursing home c. Other residential facility—board and care home, assisted living, group home d. MH/psychiatric setting e. MR/DD setting f. <i>NONE OF ABOVE</i>	
A1.	<b>RESIDENT NAME</b>	a. (First) _____ b. (Middle Initial) _____ c. (Last) _____ d. (Jr/Sr) _____	
A2.	<b>ROOM NUMBER</b>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	
A3.	<b>ASSESSMENT REFERENCE DATE</b>	a. Last day of MDS observation period <input type="text"/> <input type="text"/> — <input type="text"/> <input type="text"/> — <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> Month Day Year	
A4a.	<b>DATE OF REENTRY</b>	Date of reentry from most recent temporary discharge to a hospital in last 90 days (or since last assessment or admission if less than 90 days) <input type="text"/> <input type="text"/> — <input type="text"/> <input type="text"/> — <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> Month Day Year	
A5.	<b>MARITAL STATUS</b>	1. Never married 3. Widowed 5. Divorced 2. Married 4. Separated	
A6.	<b>MEDICAL RECORD NO.</b>	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	
A10.	<b>ADVANCED DIRECTIVES</b>	(For those items with supporting documentation in the medical record, check all that apply) b. Do not resuscitate <input type="checkbox"/> c. Do not hospitalize <input type="checkbox"/>	
B1.	<b>COMATOSE</b>	(Persistent vegetative state/no discernible consciousness) 0. No 1. Yes (If Yes, skip to Section G)	
B2.	<b>MEMORY</b>	(Recall of what was learned or known) a. Short-term memory OK—seems/appears to recall after 5 minutes 0. Memory OK 1. Memory problem b. Long-term memory OK—seems/appears to recall long past 0. Memory OK 1. Memory problem	
B3.	<b>MEMORY/RECALL ABILITY</b>	(Check all that resident was normally able to recall during last 7 days) a. Current season <input type="text"/> d. That he/she is in a nursing home b. Location of own room <input type="text"/> e. <i>NONE OF ABOVE</i> are recalled c. Staff names/faces <input type="text"/>	
B4.	<b>COGNITIVE SKILLS FOR DAILY DECISION-MAKING</b>	(Made decisions regarding tasks of daily life) 0. <i>INDEPENDENT</i> —decisions consistent/reasonable 1. <i>MODIFIED INDEPENDENCE</i> —some difficulty in new situations only 2. <i>MODERATELY IMPAIRED</i> —decisions poor; cues/supervision required 3. <i>SEVERELY IMPAIRED</i> —never/rarely made decisions	
B5.	<b>INDICATORS OF DELIRIUM—PERIODIC DISORDERED THINKING/AWARENESS</b>	(Code for behavior in the last 7 days.) [Note: Accurate assessment requires conversations with staff and family who have direct knowledge of resident's behavior over this time]. 0. Behavior not present 1. Behavior present, not of recent onset 2. Behavior present, over last 7 days appears different from resident's usual functioning (e.g., new onset or worsening) a. <i>EASILY DISTRACTED</i> —(e.g., difficulty paying attention; gets sidetracked) b. <i>PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS</i> —(e.g., moves lips or talks to someone not present; believes he/she is somewhere else; confuses night and day) c. <i>EPISODES OF DISORGANIZED SPEECH</i> —(e.g., speech is incoherent, nonsensical, irrelevant, or rambling from subject to subject; loses train of thought) d. <i>PERIODS OF RESTLESSNESS</i> —(e.g., fidgeting or picking at skin, clothing, napkins, etc; frequent position changes; repetitive physical movements or calling out) e. <i>PERIODS OF LETHARGY</i> —(e.g., sluggishness; staring into space; difficult to arouse; little body movement) f. <i>MENTAL FUNCTION VARIES OVER THE COURSE OF THE DAY</i> —(e.g., sometimes better, sometimes worse; behaviors sometimes present, sometimes not)	

C4.	<b>MAKING SELF UNDERSTOOD</b>	(Expressing information content—however able) 0. <i>UNDERSTOOD</i> 1. <i>USUALLY UNDERSTOOD</i> —difficulty finding words or finishing thoughts 2. <i>SOMETIMES UNDERSTOOD</i> —ability is limited to making concrete requests 3. <i>RARELY/NEVER UNDERSTOOD</i>	
C6.	<b>ABILITY TO UNDERSTAND OTHERS</b>	(Understanding verbal information content—however able) 0. <i>UNDERSTANDS</i> 1. <i>USUALLY UNDERSTANDS</i> —may miss some part/intent of message 2. <i>SOMETIMES UNDERSTANDS</i> —responds adequately to simple, direct communication 3. <i>RARELY/NEVER UNDERSTANDS</i>	
D1.	<b>VISION</b>	(Ability to see in adequate light and with glasses if used) 0. <i>ADEQUATE</i> —sees fine detail, including regular print in newspapers/books 1. <i>IMPAIRED</i> —sees large print, but not regular print in newspapers/books 2. <i>MODERATELY IMPAIRED</i> —limited vision; not able to see newspaper headlines, but can identify objects 3. <i>HIGHLY IMPAIRED</i> —object identification in question, but eyes appear to follow objects 4. <i>SEVERELY IMPAIRED</i> —no vision or sees only light, colors, or shapes; eyes do not appear to follow objects	
E1.	<b>INDICATORS OF DEPRESSION, ANXIETY, SAD MOOD</b>	(Code for indicators observed in last 30 days, irrespective of the assumed cause) 0. Indicator not exhibited in last 30 days 1. Indicator of this type exhibited up to five days a week 2. Indicator of this type exhibited daily or almost daily (6, 7 days a week)  <div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <b>VERBAL EXPRESSIONS OF DISTRESS</b>  a. Resident made negative statements—e.g., "Nothing matters; Would rather be dead; What's the use; Regrets having lived so long; Let me die"  b. Repetitive questions—e.g., "Where do I go; What do I do?"  c. Repetitive verbalizations—e.g., calling out for help, ("God help me")  d. Persistent anger with self or others—e.g., easily annoyed, anger at placement in nursing home; anger at care received  e. Self deprecation—e.g., "I am nothing; I am of no use to anyone"  f. Expressions of what appear to be unrealistic fears—e.g., fear of being abandoned, left alone, being with others  g. Recurrent statements that something terrible is about to happen—e.g., believes he or she is about to die, have a heart attack </div> <div style="width: 48%;"> b. Repetitive health complaints—e.g., persistently seeks medical attention, obsessive concern with body functions  i. Repetitive anxious complaints/concerns (non-health related) e.g., persistently seeks attention/reassurance regarding schedules, meals, laundry, clothing, relationship issues  <b>SLEEP-CYCLE ISSUES</b>  j. Unpleasant mood in morning  k. Insomnia/change in usual sleep pattern  <b>SAD, APATHETIC, ANXIOUS APPEARANCE</b>  l. Sad, pained, worried facial expressions—e.g., furrowed brows  m. Crying, tearfulness  n. Repetitive physical movements—e.g., pacing, hand wringing, restlessness, fidgeting, picking  <b>LOSS OF INTEREST</b>  o. Withdrawal from activities of interest—e.g., no interest in long standing activities or being with family/friends  p. Reduced social interaction </div> </div>	
E2.	<b>MOOD PERSISTENCE</b>	<b>One or more indicators of depressed, sad or anxious mood were not easily altered by attempts to "cheer up", console, or reassure the resident over last 7 days</b> 0. No mood indicators 1. Indicators present, easily altered 2. Indicators present, not easily altered	

E4.	<b>BEHAVIORAL SYMPTOMS</b>	<b>(A) Behavioral symptom frequency in last 7 days</b>	
		0. Behavior not exhibited in last 7 days 1. Behavior of this type occurred 1 to 3 days in last 7 days 2. Behavior of this type occurred 4 to 6 days, but less than daily 3. Behavior of this type occurred daily	
		<b>(B) Behavioral symptom alterability in last 7 days</b>	
		0. Behavior not present OR behavior was easily altered 1. Behavior was not easily altered	
		a. WANDERING (moved with no rational purpose, seemingly oblivious to needs or safety)	(A) (B)
		b. VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were threatened, screamed at, cursed at)	
		c. PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were hit, shoved, scratched, sexually abused)	
		d. SOCIALLY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS (made disruptive sounds, noisiness, screaming, self-abusive acts, sexual behavior or disrobing in public, smeared/throw food/feces, hoarding, rummaged through others' belongings)	
		e. RESISTS CARE (resisted taking medications/injections, ADL assistance, or eating)	
G1.	<b>(A) ADL SELF-PERFORMANCE—(Code for resident's PERFORMANCE OVER ALL SHIFTS during last 7 days—Not including setup)</b>	0. INDEPENDENT—No help or oversight —OR— Help/oversight provided only 1 or 2 times during last 7 days	
		1. SUPERVISION—Oversight, encouragement or cueing provided 3 or more times during last 7 days —OR— Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days 2. LIMITED ASSISTANCE—Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times —OR—More help provided only 1 or 2 times during last 7 days 3. EXTENSIVE ASSISTANCE—While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: —Weight-bearing support —Full staff performance during part (but not all) of last 7 days 4. TOTAL DEPENDENCE—Full staff performance of activity during entire 7 days 8. ACTIVITY DID NOT OCCUR during entire 7 days	
	<b>(B) ADL SUPPORT PROVIDED—(Code for MOST SUPPORT PROVIDED OVER ALL SHIFTS during last 7 days; code regardless of resident's self-performance classification)</b>	(A) (B)	
		0. No setup or physical help from staff 1. Setup help only 2. One person physical assist 3. Two+ persons physical assist 8. ADL activity itself did not occur during entire 7 days	
	a. <b>BED MOBILITY</b>	How resident moves to and from lying position, turns side to side, and positions body while in bed	SELF-PERF SUPPORT
	b. <b>TRANSFER</b>	How resident moves between surfaces—to/from: bed, chair, wheelchair, standing position (EXCLUDE to/from bath/toilet)	
	c. <b>WALK IN ROOM</b>	How resident walks between locations in his/her room	
	d. <b>WALK IN CORRIDOR</b>	How resident walks in corridor on unit	
	e. <b>LOCOMOTION ON UNIT</b>	How resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair	
	f. <b>LOCOMOTION OFF UNIT</b>	How resident moves to and returns from off unit locations (e.g., areas set aside for dining, activities, or treatments). If facility has only one floor, how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair	
	g. <b>DRESSING</b>	How resident puts on, fastens, and takes off all items of clothing, including donning/removing prosthesis	
	h. <b>EATING</b>	How resident eats and drinks (regardless of skill). Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition)	
	i. <b>TOILET USE</b>	How resident uses the toilet room (or commode, bedpan, urinal); transfer on/off toilet, cleanses, changes pad, manages ostomy or catheter, adjusts clothes	
	j. <b>PERSONAL HYGIENE</b>	How resident maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face, hands, and perineum (EXCLUDE baths and showers)	
G2.	<b>BATHING</b>	How resident takes full-body bath/shower, sponge bath, and transfers in/out of tub/shower (EXCLUDE washing of back and hair.) Code for most dependent in self-performance.	
		(A) BATHING SELF PERFORMANCE codes appear below	(A)
		0. Independent—No help provided	
		1. Supervision—Oversight help only	
		2. Physical help limited to transfer only	
		3. Physical help in part of bathing activity	
		4. Total dependence	
		8. Activity itself did not occur during entire 7 days	

G3.	<b>TEST FOR BALANCE</b> (see training manual)	<b>(Code for ability during test in the last 7 days)</b>	
		0. Maintained position as required in test 1. Unsteady, but able to rebalance self without physical support 2. Partial physical support during test; or stands (sits) but does not follow directions for test 3. Not able to attempt test without physical help a. Balance while standing b. Balance while sitting—position, trunk control	
G4.	<b>FUNCTIONAL LIMITATION IN RANGE OF MOTION</b>	<b>(Code for limitations during last 7 days that interfered with daily functions or placed residents at risk of injury)</b>	
		<b>(A) RANGE OF MOTION</b> 0. No limitation 1. Limitation on one side 2. Limitation on both sides a. Neck b. Arm—including shoulder or elbow c. Hand—including wrist or fingers d. Leg—including hip or knee e. Foot—including ankle or toes f. Other limitation or loss	<b>(B) VOLUNTARY MOVEMENT</b> 0. No loss 1. Partial loss 2. Full loss (A) (B)
G5.	<b>MODES OF LOCOMOTION</b>	<b>(Check if applied during last 7 days)</b> b. Wheeled self <input type="checkbox"/>	
G6.	<b>MODES OF TRANSFER</b>	<b>(Check all that apply during last 7 days)</b> a. Bedfast all or most of time <input type="checkbox"/> b. Bed rails used for bed mobility or transfer <input type="checkbox"/>	
G7.	<b>TASK SEGMENTATION</b>	Some or all of ADL activities were broken into subtasks during last 7 days so that resident could perform them 0. No 1. Yes	
H1.	<b>CONTINENCE SELF-CONTROL CATEGORIES</b> (Code for resident's PERFORMANCE OVER ALL SHIFTS)	0. CONTINENT—Complete control [includes use of indwelling urinary catheter or ostomy device that does not leak urine or stool]	
		1. USUALLY CONTINENT—BLADDER, incontinent episodes once a week or less; BOWEL, less than weekly 2. OCCASIONALLY INCONTINENT—BLADDER, 2 or more times a week but not daily; BOWEL, once a week 3. FREQUENTLY INCONTINENT—BLADDER, tended to be incontinent daily, but some control present (e.g., on day shift); BOWEL, 2-3 times a week 4. INCONTINENT—Had inadequate control BLADDER, multiple daily episodes; BOWEL, all (or almost all) of the time	
	a. <b>BOWEL CONTINENCE</b>	Control of bowel movement, with appliance or bowel continence programs, if employed	
	b. <b>BLADDER CONTINENCE</b>	Control of urinary bladder function (if dribbles, volume insufficient to soak through underpants), with appliances (e.g., foley) or continence programs, if employed	
H2.	<b>BOWEL ELIMINATION PATTERN</b>	c. Diarrhea d. Fecal impaction	
H3.	<b>APPLIANCES AND PROGRAMS</b>	a. Any scheduled toileting plan	d. Indwelling catheter
		b. Bladder retraining program	i. Ostomy present
		c. External (condom) catheter	
<b>For Section I : check only those diseases that have a relationship to current ADL status, cognitive status, mood and behavior status, medical treatments, nursing monitoring, or risk of death. (Do not list inactive diagnoses)</b>			
I1.	<b>DISEASES</b>	a. Diabetes melitus	v. Hemiplegia/Hemiparesis
		d. Arteriosclerotic heart disease (ASHD)	w. Multiple sclerosis
		f. Congestive heart failure	x. Paraplegia
		j. Peripheral vascular disease	z. Quadriplegia
		m. Hip fracture	ee. Depression
		r. Aphasia	ff. Manic depressive (bipolar disease)
		s. Cerebral palsy	gg. Schizophrenia
		t. Cerebrovascular accident (stroke)	hh. Asthma
			ii. Emphysema/COPD
I2.	<b>INFECTIONS</b>	<b>(If none apply, CHECK the NONE OF ABOVE box)</b>	
		a. Antibiotic resistant infection (e.g. Methicillin resistant staph) b. Clostridium difficile (c. diff.) c. Conjunctivitis d. HIV infection e. Pneumonia f. Respiratory infection g. Septicemia h. Sexually transmitted diseases i. Tuberculosis j. Urinary tract infection in last 30 days k. Viral hepatitis l. Wound infection m. NONE OF ABOVE	

Resident Identifier \_\_\_\_\_

Numeric Identifier \_\_\_\_\_

I3.	OTHER CURRENT DIAGNOSES AND ICD-9 CODES	a. _____ b. _____	
J1.	PROBLEM CONDITIONS	<i>(Check all problems present in last 7 days unless other time frame is indicated)</i> <b>INDICATORS OF FLUID STATUS</b> a. Weight gain or loss of 3 or more pounds within a 7-day period b. Inability to lie flat due to shortness of breath c. Dehydrated; output exceeds input d. Insufficient fluid; did NOT consume all/almost all liquids provided during last 3 days <b>OTHER</b> e. Delusions g. Edema h. Fever i. Hallucinations j. Internal bleeding k. Recurrent lung aspirations in last 90 days l. Shortness of breath n. Unsteady gait o. Vomiting	
J2.	PAIN SYMPTOMS	<i>(Code the highest level of pain present in the last 7 days)</i> a. FREQUENCY with which resident complains or shows evidence of pain 0. No pain (skip to J4) 1. Pain less than daily 2. Pain daily b. INTENSITY of pain 1. Mild pain 2. Moderate pain 3. Times when pain is horrible or excruciating	
J4.	ACCIDENTS	<i>(Check all that apply)</i> a. Fell in past 30 days b. Fell in past 31-180 days c. Hip fracture in last 180 days d. Other fracture in last 180 days e. NONE OF ABOVE	
J5.	STABILITY OF CONDITIONS	a. Conditions/diseases make resident's cognitive, ADL, mood or behavior patterns unstable—(fluctuating, precarious, or deteriorating) b. Resident experiencing an acute episode or a flare-up of a recurrent or chronic problem c. End-stage disease, 6 or fewer months to live d. NONE OF ABOVE	
K1.	ORAL PROBLEMS	a. Chewing problem b. Swallowing problem	
K2.	HEIGHT AND WEIGHT	Record (a.) height in inches and (b.) weight in pounds. Base weight on most recent measure in last 30 days; measure weight consistently in accord with standard facility practice—e.g., in a.m. after voiding, before meal, with shoes off, and in nightclothes a. HT (in.) _____ b. WT (lb.) _____	
K3.	WEIGHT CHANGE	a. Weight loss—5 % or more in last 30 days; or 10 % or more in last 180 days 0. No 1. Yes b. Weight gain—5 % or more in last 30 days; or 10 % or more in last 180 days 0. No 1. Yes	
K5.	NUTRITIONAL APPROACHES	<i>(Check all that apply in last 7 days)</i> a. Parenteral/IV b. Feeding tube h. On a planned weight change program	
K6.	PARENTERAL OR ENTERAL INTAKE	<i>(Skip to Section M if neither 5a nor 5b is checked)</i> a. Code the proportion of total calories the resident received through parenteral or tube feedings in the last 7 days 0. None 3. 51% to 75% 1. 1% to 25% 4. 76% to 100% 2. 26% to 50% b. Code the average fluid intake per day by IV or tube in last 7 days 0. None 3. 1001 to 1500 cc/day 1. 1 to 500 cc/day 4. 1501 to 2000 cc/day 2. 501 to 1000 cc/day 5. 2001 or more cc/day	
M1.	ULCERS (Due to any cause)	<i>(Record the number of ulcers at each ulcer stage—regardless of cause. If none present at a stage, record "0" (zero). Code all that apply during last 7 days. Code 9 = 9 or more.) [Requires full body exam.]</i> a. Stage 1. A persistent area of skin redness (without a break in the skin) that does not disappear when pressure is relieved. b. Stage 2. A partial thickness loss of skin layers that presents clinically as an abrasion, blister, or shallow crater. c. Stage 3. A full thickness of skin is lost, exposing the subcutaneous tissues - presents as a deep crater with or without undermining adjacent tissue. d. Stage 4. A full thickness of skin and subcutaneous tissue is lost, exposing muscle or bone.	

Number at Stage

M2.	TYPE OF ULCER	<i>(For each type of ulcer, code for the highest stage in the last 7 days using scale in item M1—i.e., 0=none; stages 1, 2, 3, 4)</i> a. Pressure ulcer—any lesion caused by pressure resulting in damage of underlying tissue b. Stasis ulcer—open lesion caused by poor circulation in the lower extremities																											
M3.	HISTORY OF RESOLVED ULCERS	Resident had an ulcer that was resolved or cured in LAST 90 DAYS 0. No 1. Yes																											
M4.	OTHER SKIN PROBLEMS OR LESIONS PRESENT	<i>(Check all that apply during last 7 days)</i> a. Abrasions, bruises b. Burns (second or third degree) c. Open lesions other than ulcers, rashes, cuts (e.g., cancer lesions) d. Rashes—e.g., intertrigo, eczema, drug rash, heat rash, herpes zoster e. Skin desensitized to pain or pressure f. Skin tears or cuts (other than surgery) g. Surgical wounds h. NONE OF ABOVE																											
M5.	SKIN TREATMENTS	<i>(Check all that apply during last 7 days)</i> a. Pressure relieving device(s) for chair b. Pressure relieving device(s) for bed c. Turning/repositioning program d. Nutrition or hydration intervention to manage skin problems e. Ulcer care f. Surgical wound care g. Application of dressings (with or without topical medications) other than to feet h. Application of ointments/medications (other than to feet) i. Other preventative or protective skin care (other than to feet) j. NONE OF ABOVE																											
M6.	FOOT PROBLEMS AND CARE	<i>(Check all that apply during last 7 days)</i> a. Resident has one or more foot problems—e.g., corns, callouses, bunions, hammer toes, overlapping toes, pain, structural problems b. Infection of the foot—e.g., cellulitis, purulent drainage c. Open lesions on the foot d. Nails/calluses trimmed during last 90 days e. Received preventative or protective foot care (e.g., used special shoes, inserts, pads, toe separators) f. Application of dressings (with or without topical medications) g. NONE OF ABOVE																											
N1.	TIME AWAKE	<i>(Check appropriate time periods over last 7 days)</i> Resident awake all or most of time (i.e., naps no more than one hour per time period) in the: a. Morning b. Afternoon c. Evening d. NONE OF ABOVE																											
(If resident is comatose, skip to Section O)																													
N2.	AVERAGE TIME INVOLVED IN ACTIVITIES	<i>(When awake and not receiving treatments or ADL care)</i> 0. Most—more than 2/3 of time 2. Little—less than 1/3 of time 1. Some—from 1/3 to 2/3 of time 3. None																											
O1.	NUMBER OF MEDICATIONS	<i>(Record the number of different medications used in the last 7 days; enter "0" if none used)</i>																											
O3.	INJECTIONS	<i>(Record the number of DAYS injections of any type received during the last 7 days; enter "0" if none used)</i>																											
O4.	DAYS RECEIVED THE FOLLOWING MEDICATION	<i>(Record the number of DAYS during last 7 days; enter "0" if not used. Note—enter "1" for long-acting meds used less than weekly)</i> a. Antipsychotic b. Antianxiety c. Antidepressant d. Hypnotic e. Diuretic																											
P1.	SPECIAL TREATMENTS, PROCEDURES, AND PROGRAMS	a. SPECIAL CARE—Check treatments or programs received during the last 14 days <table border="1"> <thead> <tr> <th>TREATMENTS</th> <th>PROGRAMS</th> </tr> </thead> <tbody> <tr> <td>a. Chemotherapy</td> <td>m. Alcohol/drug treatment program</td> </tr> <tr> <td>b. Dialysis</td> <td>n. Alzheimer's/dementia special care unit</td> </tr> <tr> <td>c. IV medication</td> <td>o. Hospice care</td> </tr> <tr> <td>d. Intake/output</td> <td>p. Pediatric unit</td> </tr> <tr> <td>e. Monitoring acute medical condition</td> <td>q. Respite care</td> </tr> <tr> <td>f. Ostomy care</td> <td>r. Training in skills required to return to the community (e.g., taking medications, house work, shopping, transportation, ADLs)</td> </tr> <tr> <td>g. Oxygen therapy</td> <td>s. NONE OF THE ABOVE</td> </tr> <tr> <td>h. Radiation</td> <td></td> </tr> <tr> <td>i. Suctioning</td> <td></td> </tr> <tr> <td>j. Tracheostomy care</td> <td></td> </tr> <tr> <td>k. Transfusions</td> <td></td> </tr> <tr> <td>l. Ventilator or respirator</td> <td></td> </tr> </tbody> </table>		TREATMENTS	PROGRAMS	a. Chemotherapy	m. Alcohol/drug treatment program	b. Dialysis	n. Alzheimer's/dementia special care unit	c. IV medication	o. Hospice care	d. Intake/output	p. Pediatric unit	e. Monitoring acute medical condition	q. Respite care	f. Ostomy care	r. Training in skills required to return to the community (e.g., taking medications, house work, shopping, transportation, ADLs)	g. Oxygen therapy	s. NONE OF THE ABOVE	h. Radiation		i. Suctioning		j. Tracheostomy care		k. Transfusions		l. Ventilator or respirator	
TREATMENTS	PROGRAMS																												
a. Chemotherapy	m. Alcohol/drug treatment program																												
b. Dialysis	n. Alzheimer's/dementia special care unit																												
c. IV medication	o. Hospice care																												
d. Intake/output	p. Pediatric unit																												
e. Monitoring acute medical condition	q. Respite care																												
f. Ostomy care	r. Training in skills required to return to the community (e.g., taking medications, house work, shopping, transportation, ADLs)																												
g. Oxygen therapy	s. NONE OF THE ABOVE																												
h. Radiation																													
i. Suctioning																													
j. Tracheostomy care																													
k. Transfusions																													
l. Ventilator or respirator																													

Resident Identifier \_\_\_\_\_

Numeric Identifier \_\_\_\_\_

<b>P1.</b>	<b>SPECIAL TREATMENTS, PROCEDURES, AND PROGRAMS</b>	<b>b. THERAPIES</b> - Record the number of days and total minutes each of the following therapies was administered (for at least 15 minutes a day) in the <b>last 7 calendar days</b> (Enter 0 if none or less than 15 min. daily) <b>[Note — count only post admission therapies]</b> <b>(A) = # of days administered for 15 minutes or more</b> <b>(B) = total # of minutes provided in last 7 days</b> <table border="1" style="width: 100%;"> <thead> <tr> <th></th> <th colspan="2">DAYS</th> <th colspan="2">MIN</th> </tr> <tr> <th></th> <th>(A)</th> <th></th> <th>(B)</th> <th></th> </tr> </thead> <tbody> <tr> <td>a. Speech - language pathology and audiology services</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>b. Occupational therapy</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>c. Physical therapy</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>d. Respiratory therapy</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>e. Psychological therapy (by any licensed mental health professional)</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>		DAYS		MIN			(A)		(B)		a. Speech - language pathology and audiology services					b. Occupational therapy					c. Physical therapy					d. Respiratory therapy					e. Psychological therapy (by any licensed mental health professional)				
	DAYS		MIN																																		
	(A)		(B)																																		
a. Speech - language pathology and audiology services																																					
b. Occupational therapy																																					
c. Physical therapy																																					
d. Respiratory therapy																																					
e. Psychological therapy (by any licensed mental health professional)																																					
<b>P3.</b>	<b>NURSING REHABILITATION/ RESTORATIVE CARE</b>	Record the <b>NUMBER OF DAYS</b> each of the following rehabilitation or restorative techniques or practices was <b>provided to the residents for more than or equal to 15 minutes per day in the last 7 days</b> (ENTER 0 if none or less than 15 min. daily.) <table border="1" style="width: 100%;"> <tbody> <tr> <td>a. Range of motion (passive)</td> <td></td> <td>f. Walking</td> <td></td> </tr> <tr> <td>b. Range of motion (active)</td> <td></td> <td>g. Dressing or grooming</td> <td></td> </tr> <tr> <td>c. Splint or brace assistance</td> <td></td> <td>h. Eating or swallowing</td> <td></td> </tr> <tr> <td><b>TRAINING AND SKILL PRACTICE IN:</b></td> <td></td> <td>i. Amputation/prosthesis care</td> <td></td> </tr> <tr> <td>d. Bed mobility</td> <td></td> <td>j. Communication</td> <td></td> </tr> <tr> <td>e. Transfer</td> <td></td> <td>k. Other</td> <td></td> </tr> </tbody> </table>	a. Range of motion (passive)		f. Walking		b. Range of motion (active)		g. Dressing or grooming		c. Splint or brace assistance		h. Eating or swallowing		<b>TRAINING AND SKILL PRACTICE IN:</b>		i. Amputation/prosthesis care		d. Bed mobility		j. Communication		e. Transfer		k. Other												
a. Range of motion (passive)		f. Walking																																			
b. Range of motion (active)		g. Dressing or grooming																																			
c. Splint or brace assistance		h. Eating or swallowing																																			
<b>TRAINING AND SKILL PRACTICE IN:</b>		i. Amputation/prosthesis care																																			
d. Bed mobility		j. Communication																																			
e. Transfer		k. Other																																			
<b>P4.</b>	<b>DEVICES AND RESTRAINTS</b>	Use the following codes for <b>last 7 days</b> : 0. Not used 1. Used less than daily 2. Used daily Bed rails a. —Full bed rails on all open sides of bed b. —Other types of side rails used (e.g., half rail, one side) c. Trunk restraint d. Limb restraint e. Chair prevents rising																																			
<b>P7.</b>	<b>PHYSICIAN VISITS</b>	In the <b>LAST 14 DAYS</b> (or since admission if less than 14 days in facility) how many days has the physician (or authorized assistant or practitioner) examined the resident? (Enter 0 if none)																																			

<b>P8.</b>	<b>PHYSICIAN ORDERS</b>	In the <b>LAST 14 DAYS</b> (or since admission if less than 14 days in facility) how many days has the physician (or authorized assistant or practitioner) changed the resident's orders? <i>Do not include order renewals without change. (Enter 0 if none)</i>												
<b>Q1.</b>	<b>DISCHARGE POTENTIAL</b>	a. Resident expresses/indicates preference to return to the community 0. No 1. Yes c. Stay projected to be of a short duration—discharge projected <b>within 90 days</b> (do not include expected discharge due to death) 0. No 1. Within 30 days 2. Within 31-90 days 3. Discharge status uncertain												
<b>Q2.</b>	<b>OVERALL CHANGE IN CARE NEEDS</b>	Resident's overall level of self sufficiency has changed significantly as compared to status of <b>90 days ago</b> (or since last assessment if less than 90 days) 0. No change 1. Improved—receives fewer supports, needs less restrictive level of care 2. Deteriorated—receives more support												
<b>R2. SIGNATURE OF PERSON COORDINATING THE ASSESSMENT:</b>														
a. Signature of RN Assessment Coordinator (sign on above line) b. Date RN Assessment Coordinator signed as complete <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td colspan="3">Month</td> <td colspan="2">Day</td> <td>Year</td> </tr> </table>									Month			Day		Year
Month			Day		Year									
<b>T1.</b>	<b>SPECIAL TREATMENTS AND PROCEDURES</b>	Skip unless this is a Medicare 5 day or Medicare readmission/return assessment b. <b>ORDERED THERAPIES</b> —Has physician ordered any of the following therapies to begin in <b>FIRST 14 days of stay</b> —physical therapy, occupational therapy, or speech pathology service? 0. No 1. Yes c. Through day15, provide an estimate of the number of days when at least 1 therapy service can be expected to have been delivered. d. Through day15, provide an estimate of the number of therapy minutes (across the therapies) that can be expected to be delivered.												
<b>T3.</b>	<b>CASE MIX GROUP</b>	Medicare <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table> State <table border="1" style="display: inline-table; vertical-align: middle;"> <tr> <td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table>												